



More information on the website  
radwag.com/us/info,w1,140

# PUE CY10 Weighing Terminal



The drawings, photos and graphics used are for illustrative purposes only.

## Functions

- |                               |                             |                         |                       |
|-------------------------------|-----------------------------|-------------------------|-----------------------|
| Autotest                      | Dosing                      | Percent Weighing        | Parts counting        |
| Peak hold                     | Formulation                 | Newton unit measurement | Statistics            |
| Checkweighing                 | IR sensors                  | GLP Procedures          | Animal weighing       |
| Pipettes Calibration          | Air density correction      | Density determination   | Differential weighing |
| Ambient conditions monitoring | Statistical Quality Control | Packaged Goods Control  | ALIBI Memory          |
| Wi-Fi                         |                             |                         |                       |

## Datasheet

### Physical parameters

Display 10" graphic colour touchscreen

Construction	
Protection class	IP 43
Housing	ABS + aluminium
Communication interface	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
Power supply	12÷15V DC
Power consumption	1A
Maximum quantity of verification units	10000
Minimum voltage per verification unit	0,4μV
Maximum voltage per verification unit	3,25μV
Minimum load cell impedance	50Ω
Maximum load cell impedance	1200Ω
Load cell excitation voltage	5V
Maximum increase of signal	19,5mV
Connection of load cells	4 or 6 wires + shield
Operating temperature	-10 ÷ +40 °C
Operating system	Linux
Processor	quad-core Broadcom 1,5 GHz
Memory	16 GB, 2GB RAM
Multiple range	YES
Features of use	
Max number of platforms	max.2

\* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.



Extra payment for verification



## Compatible with

MediaBox  
Mild steel powder coated weighing platforms  
RFID Tags  
Power Adapters  
Additional Weighing platforms Module  
Mild steel powder coated weighing platforms  
Additional modules  
Platforms in plastic casing

Protective cover for balances  
Barcode scanners  
RS 232, RS 485 cables  
Label Printers  
RS 232, RS 485 cables  
Fingerprint Reader  
RS 232 – USB Converter  
Receipt Printer

## Software

- E2R Weighing [WX-010-0099]
- E2R Weighing Records [WX-010-0038]
- Label Editor R02 [WX-010-0094]
- Scale Editor - EWAG 2.1 [WX-010-0173]

- E2R PGC [WX-010-0051]
- RAD Key [WX-010-0005]
- RADWAG Remote Desktop [WX-010-0107]

## Device dimensions

