



More information on the website
radwag.com/us/info,w1,140

PUE CY10 Weighing Terminal



The drawings, photos and graphics used are for illustrative purposes only.

Functions

- Autotest
- Dosing
- Percent Weighing
- Parts counting
- Peak hold
- Formulation
- Newton unit measurement
- Statistics
- Checkweighing
- IR sensors
- GLP Procedures
- Animal weighing
- Pipettes Calibration
- Air density correction
- Density determination
- Differential weighing
- Ambient conditions monitoring
- Statistical Quality Control
- Packaged Goods Control
- ALIBI Memory
- Wi-Fi

Datasheet

Physical parameters

Display 10" graphic colour touchscreen

| Construction | |
|--|--|
| Protection class | IP 43 |
| Housing | ABS + aluminium |
| Communication interface | 2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot |
| Power supply | 12 – 15 V DC |
| Power consumption | 1 A |
| Maximum quantity of verification units | 10000 |
| Minimum volatge per verification unit | 0,4 µV |
| Maximum voltage per verification unit | 3,25 µV |
| Minimum load cell impedance | 50 Ω |
| Maximum load cell impedance | 1200 Ω |
| Load cell excitation voltage | 5V |
| Maximum increase of signal | 19,5 mV |
| Connection of load cells | 4 or 6 wires + shield |
| Operating temperature | -10 – +40 °C |
| Operating system | Linux |
| Processor | quad-core Broadcom 1,5 GHz |
| Memory | 16 GB, 2GB RAM |
| Multiple range | YES |
| Features of use | |
| Max number of platforms | max.2 |

* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.



Extra payment for verification



Compatible with

MediaBox
Mild steel powder coated weighing platforms
RFID Tags
Power Adapters
Additional Weighing platforms Module
Mild steel powder coated weighing platforms
Additional modules
Platforms in plastic casing

Protective cover for balances
Barcode scanners
RS 232, RS 485 cables
Label Printers
RS 232, RS 485 cables
Fingerprint Reader
RS 232 – USB Converter
Receipt Printer

Software

- E2R Weighing [WX-010-0099]
- E2R Weighing Records [WX-010-0038]
- Label Editor R02 [WX-010-0094]
- Scale Editor - EWAG 2.1 [WX-010-0173]

- E2R PGC [WX-010-0051]
- RAD Key [WX-010-0005]
- RADWAG Remote Desktop [WX-010-0107]

Device dimensions

