



More information on the website
radwag.com/ja/info,w1,AX6

XA 121/220.5Y.A.Q



The drawings, photos and graphics used are for illustrative purposes only.

☒☒

- Autotest
- Dosing
- Percent Weighing
- Parts counting
- Peak hold
- Formulation
- Newton unit measurement
- Statistics
- Checkweighing
- IR sensors
- GLP Procedures
- Animal weighing
- Pipettes Calibration
- Air density correction
- Automatic sliding door
- Density determination
- Differential weighing
- Ambient conditions monitoring
- Statistical Quality Control
- Packaged Goods Control
- ALIBI Memory
- Wi-Fi

☒☒☒☒☒☒

☒☒☒☒☒☒

☒☒☒☒☒ [Max]

121 / 220 g

☒☒☒☒

0,001 g

Wzrost	
Wzrost [d]	0,005 / 0,01 mg
Wzrost [e]	1 mg
Wzrost	-220 g
Wzrost [5% Max]	0,005 mg
Wzrost [Max]	0,025 mg
Wzrost (USP)	10 mg
Wzrost (U=1%, k=2)	1 mg
Wzrost [5% Max]	0,007 mg
Wzrost [Max]	0,035 mg
Wzrost	0,06 mg
Wzrost	0,1 mg
Wzrost	0,06 mg
Wzrost	0,1 mg
Wzrost	$1 \times 10^{-6} 700 \text{ mA}$ - $1 \text{ A} \times \text{Rt}$
Wzrost	2 s
Wzrost	Wzrost (Wzrost)
OIML	-
Wzrost	
Wzrost	20
Wzrost	10" Wzrost + Wzrost Wzrost
Wzrost	Wzrost
Wzrost
Wzrost	200×170×220 mm
Wzrost	ø78 mm
Wzrost	750×492×595 mm
Wzrost	14,7 kg
Wzrost	16 kg
Wzrost	
Wzrost	IP 43
Wzrost	
Wzrost	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
Wzrost	
Wzrost	Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,6A max*
Wzrost	
Wzrost	+10 – +40 °C
Wzrost	±0,3 °C / 1 h (±1 °C / 8 h)
Wzrost	20% – 80%
Wzrost	±1% / h (±4% / 8 h)



Additional fee for verification



Additional Fee

RFID

RFID

RFID

RFID

RFID

RFID

RS 232/RS 485

RS 232/RS 485

RS 232/RS 485

RS 232/RS 485

RS 232/RS 485

RS 232/RS 485

RS 232/RS 485

THBR 2.0

THBR 2.0

THBR 2.0 - RS 232 - RS 485

THBR 2.0 - RS 232 - RS 485

THBR 2.0

XA 4Y/XA 5Y

XA 4Y/XA 5Y

XA 4Y/XA 5Y

XA 4Y/XA 5Y

XA 4Y/XA 5Y

RS 232 - USB

RS 232 - USB

Additional Fee

- [WX-010-0099]
- [WX-010-0005]
- [WX-010-0107]
- [WX-010-0173]

- [WX-010-0038]
- [WX-010-0094]
- [WX-010-0080]
- [WX-010-0104]

Additional Fee

