



More information on the website
radwag.com/en/info,w1,BS0

Hybrid Protective Glass 5Y, CY10



The drawings, photos and graphics used are for illustrative purposes only.

Overview

The screen of the 5Y and CY10 terminal is made of glass – a material prone to scratches and cracks. It can easily be dropped or damaged by transport, so it is worth ensuring that it is properly protected.

Safety in Every Inch

Hybrid glass protects the touch panel of the ELLIPSIS and CY10 series devices terminal from scratches and cracks. It combines the advantages of glass and film: resistance and flexibility. It is perfectly matched to the balances's display, so it provides the highest level of security to every inch of the screen.

Antistatic Properties

The Hybrid Protective Glass is not only scratch and impact resistant, but also antistatic. Thanks to its antistatic properties, the Hybrid Protective Glass prevents dust particles drawn by static electricity from sticking to the surface of the screen.

Instant Responsiveness

The hybrid protective glass allows instant response to touch. It does not affect the user experience of the terminal – it does not limit the sensitivity of the screen, does not reduce viewing angles and does not distort colors.

Hybrid Protective Glass at a Glance: very thin – ~0.3 mm perfectly smooth durable – strengthens the screen by up to 250% scratch-resistant – glass hardness of 7H The Set Includes: hybrid protective glass leave that

removes pollen from under the already applied glass positioning sticker to help fit the glass to the screen cardboard to eliminate air bubbles cleaning kit (moistened cloth and non-dusting cloth) You can buy and install the hybrid protective glass at any time. Installation is very easy and takes a while.

Compatible with

XA 5Y.M.A.P Microbalance for pipettes calibration
Microbalance for Pipette Calibration MYA 5Y.P
UMA 5Y.F Automatic Weighing System
5Y.PM Precision Balance
Microbalance for Filters MYA 5Y.F
XA 5Y.M.A Microbalance
PUE CY10 Weighing Terminal
CY10 Multifunctional Scale
Susceptometer - Magnetization
Automatic Balances for. Pipettes Calibration
XA 5Y.A Analytical Balance
WAY 5Y.KO Manual Mass Comparator
UYA 5Y Ultra-Microbalance
AS 5Y Analytical Balance
AK-4 Automatic Mass Comparator
AKM-2 Automatic Mass Comparator
CY10 Precision Balance
XA 5Y.F Analytical Balance for Filters
UMA Automatic Mass Comparator
APP 5Y.KO Manual Mass Comparator

Robotic Mass Comparators
Density Measurement
MYA 5Y Microbalance
XA 5Y Analytical Balance
5Y.PM.KB Manual Mass Comparator
HRP 5Y.KO Mass Comparator
PS 5Y Precision Balance
Automatic Vacuum Mass Comparators
PMV 5Y Moisture Analyzer
XA 5Y.KO Manual Mass Comparator
HRP 5Y.KB Mass Comparator
XA 5Y.M Microbalance
RMC F Robotic Weighing System
RB F Robotic Weighing System
UYA 5Y.KO Manual Mass Comparator
Ultra-Microbalance for Filters UYA 5Y.F
Nano-Comparator NANO.AK-4.500.5Y
XA 5Y.M.A.S Microbalance for stents weighing
AK-6 5Y.F Automatic Weighing System