



More information on the website  
[radwag.com/en/info,w1,EPZ](http://radwag.com/en/info,w1,EPZ)

# C315.10/20.D-1 Baby Scale



The drawings, photos and graphics used are for illustrative purposes only.

## Functions



Internal battery



Peak hold



GLP Procedures



ALIBI Memory

## Datasheet

| Metrological parameters |                |
|-------------------------|----------------|
| Maximum capacity [Max]  | 10 / 20 kg     |
| Readability [d]         | 5 / 10 g       |
| Tare range              | -20 kg         |
| OIML Class              | III            |
| Physical parameters     |                |
| Display                 | LCD (backlit)  |
| Packaging dimensions    | 600×520×180 mm |
| Net weight              | 3.5 kg         |
| Communication interface |                |
| Communication interface | RS232          |

### Electrical parameters

|                             |                                     |
|-----------------------------|-------------------------------------|
| Power supply                | 100 – 240 V AC 50/60 Hz and battery |
| Power consumption max.      | 5 W                                 |
| Operation time on batteries | up to 8 h                           |

### Environmental conditions

|                       |                              |
|-----------------------|------------------------------|
| Operating temperature | 0 – +40 °C                   |
| Relative humidity     | 10% – 85% RH no condensation |

According to MDR regulations, this scale is not a medical device.



Extra payment for verification

## Accessories

Power Adapters  
RS 232 cables (scale - printer)  
Cigarette lighter receptacle power supply cables  
Displays  
Displays  
RS 232, RS 485 cables

RS 232 – Ethernet Converter  
AP2-1 Current Loop Unit  
RS 232, RS 485 cables  
RS 232 – USB Converter  
RS 232 – RS 485 Converter  
Receipt Printer

## Software

• RAD Key [WX-010-0005]  
• R-Lab [WX-010-0080]

• R-Panel [WX-010-0187]  
• Scale Editor 2.1 [WX-010-0173]

## Device dimensions

