



More information on the website
radwag.com/ja/info,w1,IHL

PS 10100.5Y.M

WL-220-0407



The drawings, photos and graphics used are for illustrative purposes only.



Autotest



Dosing



Percent Weighing



Parts counting



Peak hold



Formulation



Newton unit measurement



Statistics



Checkweighing



IR sensors



Under-pan weighing



GLP Procedures



Animal weighing



Pipettes Calibration



Air density correction



Density determination



Differential weighing



Ambient conditions monitoring



Statistical Quality Control



Packaged Goods Control



ALIBI Memory



Wi-Fi



[Max]

10100 g

-

Wzrost	
Wzrost [d]	10 mg
Wzrost [e]	-
Wzrost	-10100 g
Wzrost [5% Max]	5 mg
Wzrost [Max]	12 mg
Wzrost (USP)	10 g
Wzrost (U=1%, k=2)	1 g
Wzrost	±20 mg
Wzrost	1,5 s
Wzrost	Wzrost (Wzrost)
OIML	-
Wzrost	$2 \times 10^{-6} / ^\circ\text{C} \times \text{Rt}$
Wzrost	
Wzrost	- LevelSENSING
Wzrost	10" Wzrost + Wzrost Wzrost
Wzrost	, , , ,
Wzrost	195×195 mm
Wzrost	333×206×107 mm
Wzrost	720×370×274 mm
Wzrost	7,2 kg
Wzrost	9,3 kg
Wzrost	
Wzrost	IP 43
Wzrost	
Wzrost	7
Wzrost	
Wzrost	Wzrost
Wzrost	
Wzrost	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
Wzrost	
Wzrost	Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,6A max; 10–19W*
Wzrost	
Wzrost	+10 – +40 °C
Wzrost - Wzrost Wzrost	THBR 2.0 System, THBR BOX, THB P, THB W, THB S
Wzrost	-20 – +50 °C
Wzrost	40% – 80%

* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.

