



More information on the website
radwag.com/ja/info,w1,IHL

PS 10100.5Y.M

WL-220-0407



The drawings, photos and graphics used are for illustrative purposes only.



Autotest



Dosing



Percent Weighing



Parts counting



Peak hold



Formulation



Newton unit measurement



Statistics



Checkweighing



IR sensors



Under-pan weighing



GLP Procedures



Animal weighing



Pipettes Calibration



Air density correction



Density determination



Differential weighing



Ambient conditions monitoring



Statistical Quality Control



Packaged Goods Control



ALIBI Memory



Wi-Fi

[Max]

10100 g

-

| | |
|------------------------|---|
| Wzrost | |
| Wzrost [d] | 10 mg |
| Wzrost [e] | - |
| Wzrost | -10100 g |
| Wzrost [5% Max] | 5 mg |
| Wzrost [Max] | 12 mg |
| Wzrost (USP) | 10 g |
| Wzrost (U=1%, k=2) | 1 g |
| Wzrost | ±20 mg |
| Wzrost | 1,5 s |
| Wzrost | Wzrost (Wzrost) |
| OIML | - |
| Wzrost | $2 \times 10^{-6} / ^\circ\text{C} \times \text{Rt}$ |
| Wzrost | |
| Wzrost | - LevelSENSING |
| Wzrost | 10" Wzrost + Wzrost Wzrost |
| Wzrost | , , , , |
| Wzrost | 195×195 mm |
| Wzrost | 333x206x107 mm |
| Wzrost | 720×370×274 mm |
| Wzrost | 7,2 kg |
| Wzrost | 9,3 kg |
| Wzrost | |
| Wzrost | IP 43 |
| Wzrost | |
| Wzrost | 7 |
| Wzrost | |
| Wzrost | Wzrost |
| Wzrost | |
| Wzrost | 2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot |
| Wzrost | |
| Wzrost | Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,6A max; 10–19W* |
| Wzrost | |
| Wzrost | +10 – +40 °C |
| Wzrost - Wzrost Wzrost | THBR 2.0 System, THBR BOX, THB P, THB W, THB S |
| Wzrost | -20 – +50 °C |
| Wzrost | 40% – 80% |

* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.

