



More information on the website
radwag.com/en/info,w1,OQN

C315.4B.500.C-1 Bed Scale

WM-002-0016



The drawings, photos and graphics used are for illustrative purposes only.

Functions



Internal battery



Peak hold



GLP Procedures



ALIBI Memory



BMI

Datasheet

Metrological parameters

Maximum capacity [Max]	500 kg
Readability [d]	200 g
Tare range	-500 kg
OIML Class	III

Physical parameters

Display	LCD (backlit)
Packaging dimensions	390×820×360 mm
Net weight	18.5 kg
Gross weight	28 kg

Communication interface	
Communication interface	RS232
Electrical parameters	
Power supply	100 – 240 V AC 50/60 Hz and battery
Power consumption max.	5 W
Operation time on batteries	up to 8 h
Environmental conditions	
Operating temperature	0 – +40 °C
Relative humidity	10% – 85% RH no condensation

According to MDR regulations, this scale is not a medical device.



Additional fee for verification

Accessories (Additional Fee)

Power Adapters

RS 232 cables (scale - printer)

Cigarette lighter receptacle power supply cables

Displays

Displays

RS 232, RS 485 cables

RS 232 – Ethernet Converter

AP2-1 Current Loop Unit

RS 232, RS 485 cables

RS 232 – USB Converter

RS 232 – RS 485 Converter

Receipt Printer

Software (Additional Fee)


• RAD Key [WX-010-0005]

• R-Lab [WX-010-0080]


• R-Panel [WX-010-0187]

• Scale Editor 2.1 [WX-010-0173]

Device dimensions



C315.8B



C315.4B