



More information on the website  
radwag.com/ja/info,w1,TPE

# MYA 0.8/3.5Y

WL-109-1000



The drawings, photos and graphics used are for illustrative purposes only.



- Autotest
- Dosing
- Percent Weighing
- Parts counting
- Peak hold
- Formulation
- Newton unit measurement
- Statistics
- Checkweighing
- IR sensors
- GLP Procedures
- Animal weighing
- Pipettes Calibration
- Air density correction
- Density determination
- Moveable range
- Differential weighing
- Ambient conditions monitoring
- Statistical Quality Control
- Packaged Goods Control
- ALIBI Memory
- Wi-Fi



[Max]

0,8 / 3 g

0,1 mg

<b>Wzrost</b>	
Wzrost [d]	1 / 10 µg
Wzrost [e]	1 mg
Wzrost	-3 g
Wzrost [5% Max]	0,6 µg
Wzrost [Max]	4,1 µg
Wzrost (USP)	1,2 mg
Wzrost (U=1%, k=2)	0,12 mg
Wzrost [5% Max]	1,2 µg
Wzrost [Max]	6 µg
Wzrost	±3 / 10 µg
Wzrost	3 / 10 µg
Wzrost	$1 \times 10^{-6} 700 \text{ mA} \times \text{Rt} - 1 \text{ A} \times \text{Rt}$
Wzrost	3,5 s
Wzrost	Wzrost (Wzrost)
OIML	I
<b>Wzrost</b>	
Wzrost	20
Wzrost	10" Wzrost + Wzrost Wzrost
Wzrost	.....
Wzrost	ø 90×90 mm
Wzrost	ø16 + ø60 mm
Wzrost	750×492×595 mm
Wzrost	9,1 kg
Wzrost	16,6 kg
<b>Wzrost</b>	
Wzrost	IP 43
<b>Wzrost</b>	
Wzrost	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
<b>Wzrost</b>	
Wzrost	Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,4A max*
<b>Wzrost</b>	
Wzrost	+10 – +40 °C
Wzrost	±0,3 °C / 1 h (±1 °C / 8 h)
Wzrost	40% – 80%
Wzrost	±1% / h (±4% / 8 h)

\* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.

