



More information on the website
radwag.com/ja/info,w1,UTE

MYA 5.5Y.F1 Microbalance

WL-109-0025



The drawings, photos and graphics used are for illustrative purposes only.



Autotest



Percent Weighing



Peak hold



Statistics



IR sensors



GLP Procedures



Air density correction



Moveable range



Differential weighing



Ambient conditions monitoring



Replaceable unit



Statistical Quality Control



ALIBI Memory



Wi-Fi



XXXXXXXXXX	
XXXXXXXXXX [Max]	5,1 g
XXXXX	0,1 mg
XXXX [d]	1 µg
XXXXXXXXXX [e]	1 mg
XXXXX	-5,1 g
XXXXXXXXXX [5% Max]	0,6 µg

Wzrost	
Wzrost [Max]	1,6 µg
Wzrost (USP)	1,2 mg
Wzrost (U=1%, k=2)	0,12 mg
Wzrost [5% Max]	1,2 µg
Wzrost [Max]	2,4 µg
Waga	±5 µg
Waga	5 µg
Wzrost	$1 \times 10^{-6} 700 \text{ mA} \times \text{Rt} - 1 \text{ A} \times \text{Rt}$
Wzrost	max 8 s
Wzrost	Wzrost (Wzrost)
OIML	I
Wzrost	
Wzrost	20
Wzrost	10" Wzrost + Wzrost Wzrost
Wzrost	7WzrostWzrost
Wzrost	,, , Wzrost, , , , .
Wzrost	∅ 168×35 mm
Wzrost	∅160 + ∅26 mm
Wzrost	755×655×455 mm
Wzrost	10,2 kg
Wzrost	14,7 kg
Wzrost	
Wzrost	IP 43
Wzrost	
Wzrost	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
Wzrost	
Wzrost	Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,4A max*
Wzrost	
Wzrost	+10 – +40 °C
Wzrost	±0,3 °C / 1 h (±1 °C / 8 h)
Wzrost	40% – 80%
Wzrost	±1% / h (±4% / 8 h)

* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.



Additional fee for verification



Wzrost (Additional Fee)

Wzrost

Wzrost

RFID
THBR
THBR
THBR
THBR
THBR
THBR
THBR
THBR

RS 232/RS 485
THBR 2.0 - -
RS 232/RS 485
THBR
THBR
RS 232 – USB
THBR

THBR (Additional Fee)

- [WX-010-0099]
- [WX-010-0094]
- [WX-010-0173]

- [WX-010-0005]
- [WX-010-0107]
- [WX-010-0104]