



More information on the website  
radwag.com/ja/info,w1,X2K

# XA 21.5Y.M.A

WL-109-0015



The drawings, photos and graphics used are for illustrative purposes only.



- Autotest
- Dosing
- Percent Weighing
- Parts counting
- Peak hold
- Formulation
- Newton unit measurement
- Statistics
- Checkweighing
- IR sensors
- GLP Procedures
- Animal weighing
- Pipettes Calibration
- Air density correction
- Automatic sliding door
- Density determination
- Differential weighing
- Ambient conditions monitoring
- Statistical Quality Control
- Packaged Goods Control
- ALIBI Memory
- Wi-Fi



XXXXXXXX	
XXXXXXXX [Max]	21 g
XXXX	0,1 mg

<b>Wzrost</b>	
Wzrost [d]	1 µg
Wzrost [e]	1 mg
Wzrost	-21 g
Wzrost [5% Max]	1,3 µg
Wzrost [Max]	3,5 µg
Wzrost (USP)	2,6 mg
Wzrost (U=1%, k=2)	0,26 mg
Wzrost [5% Max]	2 µg
Wzrost [Max]	5 µg
Wzrost	±9 µg
Wzrost	15 µg
Wzrost	$1 \times 10^{-6} 700 \text{ mA} \times \text{Rt} - 1 \text{ A} \times \text{Rt}$
Wzrost	~ 3,5 s
Wzrost	Wzrost (Wzrost)
OIML	I
<b>Wzrost</b>	
Wzrost	20
Wzrost	10" Wzrost + Wzrost Wzrost
Wzrost	, , , , ,
Wzrost	199×170×217 mm
Wzrost	ø30 mm
Wzrost	750×492×595 mm
Wzrost	14,5 kg
Wzrost	20 kg
<b>Wzrost</b>	
Wzrost	IP 43
<b>Wzrost</b>	
Wzrost	2×USB-A, USB-C, HDMI, Ethernet, Wi-Fi, Hotspot
<b>Wzrost</b>	
Wzrost	Adapter: 100 – 240V AC 50/60Hz 1A; 15V DC 2,4A : 12 – 15V DC 1,4A max*
<b>Wzrost</b>	
Wzrost	+10 – +40 °C
Wzrost	±0,3 °C / 1 h (±1 °C / 8 h)
Wzrost	40% – 80%
Wzrost	±1% / h (±4% / 8 h)

\* Wi-Fi® is a registered trademark of Wi-Fi® Alliance.

