


Frame for Embedding WPT/4 Scales in the Ground

Embedding the weighing platform in the ground.



Frame for platform embedding



Element facilitating stable embedding of the frame



Supports facilitating embedding of the platform in the ground

Features

Improvement of Operation Performance

Embedding the 4-load cell scale in the ground facilitates product loading and unloading (e.g. using trolley). It also enables smooth control of loads and is time saving.

Resistance to Harsh Conditions

Mechanical design made of powder coated or stainless steel enables placing the frame in harsh industrial conditions.

Compatible with

- PLC3-4-R-1500-C6 - WPT/4 C6
- PLC3-4-R-1500-C7 - WPT/4 C7
- PLC3-4-R-3000-C7 - WPT/4 C7
- PLC3-4-R-3000-C8 - WPT/4 C8
- PLC3-4-R-3000-C8/9 - WPT/4 C8/9
- PLC3-4-R-3000-C9 - WPT/4 C9
- PLC3-4-R-3000-C10 - WPT/4 C10
- PLC3-4-R-3000-C11 - WPT/4 C11
- PLC3-4-R-6000-C9 - WPT/4 C9
- PLC3-4-R-6000-C10 - WPT/4 C10
- PLC3-4-R-6000-C11 - WPT/4 C11

Technical Specifications



	PLC3-4-R-1500-C6	PLC3-4-R-1500-C7	PLC3-4-R-3000-C7
Frame dimensions	924 × 924 × 118 mm	1124 × 1124 × 118 mm	1124 × 1124 × 118 mm
Intended for	WPT/4 C6	WPT/4 C7	WPT/4 C7
Platform dimensions	800 × 800 mm	1000 × 1000 mm	1000 × 1000 mm
Platform capacity	to 1500 kg	to 1500 kg	to 3000 kg
Weight	20 kg	23 kg	25 kg

	PLC3-4-R-3000-C8	PLC3-4-R-3000-C8/9	PLC3-4-R-3000-C9
Frame dimensions	1324 × 1324 × 118 mm	1324 × 1624 × 118 mm	1624 × 1624 × 118 mm
Intended for	WPT/4 C8	WPT/4 C8/9	WPT/4 C9
Platform dimensions	1200 × 1200 mm	1200 × 1500 mm	1500 × 1500 mm
Platform capacity	to 3000 kg	to 3000 kg	to 3000 kg
Weight	26 kg	28 kg	30 kg

	PLC3-4-R-3000-C10	PLC3-4-R-3000-C11	PLC3-4-R-6000-C9
Frame dimensions	1624 × 2124 × 118 mm	2124 × 2124 × 118 mm	1684 × 1684 × 162 mm
Intended for	WPT/4 C10	WPT/4 C11	WPT/4 C9
Platform dimensions	1500 × 2000 mm	2000 × 2000 mm	1500 × 1500 mm
Platform capacity	to 3000 kg	to 3000 kg	to 6000 kg
Weight	34 kg	38 kg	48 kg

	PLC3-4-R-6000-C10	PLC3-4-R-6000-C11
Frame dimensions	1684 × 2184 × 162 mm	2184 × 2184 × 162 mm
Intended for	WPT/4 C10	WPT/4 C11
Platform dimensions	1500 × 2000 mm	2000 × 2000 mm
Platform capacity	to 6000 kg	to 6000 kg
Weight	55 kg	60 kg

Dimensions



Rama do fundamentowania / Pit installation frame / Einbaurahmen

symbol ramy / frame No. / Rahmensymbol	A [mm]	B [mm]	D [mm]	E [mm]	H [mm]	L [mm]	masa / mass / Masse
PLC3-4-R-1500-C6	800	800	700	700	118	50	20kg
PLC3-4-R-1500-C7	1000	1000	900	900	118	50	23kg
PLC3-4-R-3000-C7-8.1	1000	1250	900	1150	118	50	25kg
PLC3-4-R-3000-C8	1200	1200	1100	1100	118	50	26kg
PLC3-4-R-3000-C8-9	1200	1500	1100	1400	118	50	28kg
PLC3-4-R-3000-C8.1	1250	1250	1150	1150	118	50	27kg
PLC3-4-R-3000-C8.1-9	1250	1500	1150	1400	118	50	29kg
PLC3-4-R-3000-C9	1500	1500	1400	1400	118	50	30kg
PLC3-4-R-3000-C10	1500	2000	1400	1900	118	50	34kg
PLC3-4-R-3000-C11	2000	2000	1900	1900	118	50	38kg
PLC3-4-R-6000-C9	1500	1500	1380	1380	162	80	48kg
PLC3-4-R-6000-C10	1500	2000	1380	1880	162	80	55kg
PLC3-4-R-6000-C11	2000	2000	1880	1880	162	80	60kg