

Reliable body weight measurement Safe, convenient and precise measurement Ease of operation, clearly presented indications



0000

Compliance with legislation Class III of Legal Metrology

Compliance with medical regulations Certificate for conformity with 93/42/EEC directive, Annex 5



TECHNICAL SOLUTIONS FOR MEDICAL FACILITIES

Personal Scales

MEDICAL PERSONAL SCALES FOR BODY MASS MEASUREMENT AND CALCULATION OF CHILDREN AND ADULTS' BMI

Height Meter

Personal scales guarantee precise and reliable height measurement of 1-meter tall and taller patients.





ALIBI Memory

Internal ALIBI memory ensures safety, and offers automatic record of measurement copies. It also allows to preview, copy and archive data.

Technical Specification



C315.60/150.0W-3



C315.100/200.0W-3



C315.60/150.0R-3



C315.100/200.0R-3





C315.60/150.0K-3 C315.100/200.0K-3

| Maximum capacity [Max] | 60 kg / 150 kg | 100 kg / 200 kg | 60 kg / 150 kg | 100 kg / 200 kg | 60 kg / 150 kg | 100 kg / 200 kg |
|----------------------------|--------------------------|-----------------|----------------------|-----------------|----------------------|-----------------|
| Readability [d] | 20 g / 50 g | 50 g / 100 g | 20 g / 50 g | 50 g / 100 g | 20 g / 50 g | 50 g / 100 g |
| Verification | Yes | | Yes | | Yes | |
| Indicator fastening | to an extension arm | | to the platform | | via cable | |
| Height rod measuring range | 100 cm — 200 cm | | - | | _ | |
| Height rod scale | 0,5 cm | | _ | | _ | |
| Display | LCD (with backlight) | | LCD (with backlight) | | LCD (with backlight) | |
| Indicator | PUE C315 | | PUE C315 | | PUE C315 | |
| Communication interfaces | RS 232, Wi−Fi® | | RS 232, Wi-Fi® | | RS 232, Wi-Fi® | |
| Weighing pan dimensions | mensions 289 mm × 319 mm | | 289 mm × 319 mm | | 289 mm × 319 mm | |

Wi-Fi[®] is a registered trademark of Wi-Fi Alliance.

Baby Scales

RELIABLE MEDICAL BABY SCALES MEETING THE HIGHEST SAFETY STANDARDS



Professional Weighing Pan Use of specially shaped weighing pan made of SYNTHOS PS HI 945E polystyrene guarantees stable and safe measurement of infants' mass.



Communication with PUE C315

CEM 20 1383 2274

RADWA

Medical scales are operated via a fail-safe indicator, the PUE C315, housed in a casing made of ABS plastic. Due to a backlit LCD display the measurement result is clearly visible. Easy operation enables fast and reliable measurements to be carried out even by an inexperienced user.

| | | - |
|-------------------------|---------|---|
| No. of Concession, Name | 1000 11 | |
| | 1 00000 | |
| | | |
| | | |

C315.6/15.D-3

6 kg / 15 kg 2 g / 5 g Yes to the platform – (2 CD (with backlight) PUE C315 RS 232, Wi-Fi° 550 mm × 300 mm

| Technical Specification | |
|----------------------------|--|
| Maximum capacity [Max] | |
| Readability [d] | |
| Verification | |
| Indicator fastening | |
| Height rod measuring range | |
| Height rod scale | |
| Display | |
| Indicator | |
| Communication interfaces | |
| Weighing pan dimensions | |

| beere s | |
|----------------------|--|
| C315.10/20.D-3 | |
| 10 kg / 20 kg | |
| 2 g / 5 g | |
| Yes | |
| to the platform | |
| _ | |
| _ | |
| LCD (with backlight) | |
| PUE C315 | |
| RS 232, Wi-Fi® | |
| | |

550 mm × 300 mm

Wi-Fi[®] is a registered trademark of Wi-Fi Alliance.

Bed and Chair Scales

PROFESSIONAL MEDICAL SCALES FOR PATIENTS WITH REDUCED MOBILITY



Collapsible Armrests Collapsible armrests make it easier for the patient to sit down the chair scale prior to the measurement, and stand up after measurement completion.



The bed scale features transport cart, which functions also as an indicator base.



Casters with Lock

The scale has been equipped with caster wheels enabling fast and convenient transport of patients. Wheel lock ensures scale stability during the measurement, it protects the patient by preventing unintentional movement.

Technical Specification

| Maximum capacity [Max] |
|----------------------------|
| Readability [d] |
| Verification |
| Indicator fastening |
| Height rod measuring range |
| Height rod scale |
| Display |
| Indicator |
| Communication interfaces |
| Weighing pan dimensions |







Single Platforms

Four separate weighing modules can be effortlessly placed under the wheels of patient bed. They allow weighing of any bed, wheel

spacing is of no importance. The

modules fit up to 99% of the beds

used in medical facilities.

| 100 g | |
|--|--|
| Yes | |
| via cable | |
| _ | |
| _ | |
| LCD (with backlight) | |
| PUE C315 | |
| RS 232, Wi-Fi® | |
| $2 \times 860 \text{ mm} \times 90 \text{ mm}$ | |



C315.4B.500.C-3 500 kg

| 200 g | |
|-----------------------------------|--|
| Yes | |
| on transport cart | |
| _ | |
| _ | |
| LCD (with backlight) | |
| PUE C315 | |
| RS 232, Wi-Fi® | |
| 4×149 mm \times 202 mm | |

Wi-Fi[®] is a registered trademark of Wi-Fi Alliance.